ELSEVIER

Volume 297 Numbers 1–2, 2 February 2000

Journal of ALLOYS AND COMPOUNDS

www.elsevier.com/locate/jallcom

Contents

Letter

Development of carbothermy for the preparation of hepta chromium carbide L1
P.K. Rajagopalan, T.S. Krishnan and D.K. Bose (Mumbai, India)

Physics

A molecular dynamics study of the heat capacity of uranium mononitride 1
K. Kurosaki, K. Yano, K. Yamada, M. Uno and S. Yamanaka (Osaka, Japan)

Giant magnetovolume effect of CrTe 5
T. Kanomata, Y. Sugawara (Tagajo, Japan), T. Kaneko (Sendai, Japan), K. Kamishima, H. Aruga Katori and T. Goto (Tokyo, Japan)

Formation of cubic URh_4In and $UPd_{4.5}In_{0.5}$ phases and their characterization by X-ray-diffraction, magnetic-susceptibility, and electrical-resistivity measurements 9
R. Troć (Wrocław, Poland), V. Zaremba (L'viv, Ukraine), M. Kuznietz (Beer-Sheva, Israel) and E.M. Levin (Wrocław, Poland)

Low temperature resistivity studies of Fe–Cr–Sn alloys in alpha and sigma phases 15
B.F.O. Costa (Coimbra, Portugal), M.M. Pereira de Azevedo, M.M. Amado, J.B. Sousa (Porto, Portugal) and N. Ayres de Campos (Coimbra, Portugal)

A specific-heat study of RMn_4Al_8 compounds (R=Y, La, Pr, Nd, Dy, Er) 21
I.H. Hagmusa, J.C.P. Klaasse, E. Brück, F.R. de Boer and K.H.J. Buschow (Amsterdam, The Netherlands)

Susceptibility measurements of R_2CuIn_3 compounds (R=Ce, Pr, Nd, Tb, Dy, Ho, Er) 26
I.M. Siouris, I.P. Semitelou and J.K. Yakinthos (Xanthi, Greece)

Holmium volume change on crystallization in the bcc and hcp phases 30
S.V. Stankus and R.A. Khairulin (Novosibirsk, Russia)

Structure and magnetic properties of intermetallic compounds $(La_{1-x}R_x)_2Co_{16}Ti$ (R=Sm, Nd) 33
Q.L. Liu (Beijing, People's Republic of China), J.K. Liang (Beijing and Shenyang, People's Republic of China), F. Huang, Y. Chen, G.H. Rao, X.L. Chen and B.G. Shen (Beijing, People's Republic of China)

Neutron diffraction and magnetic studies of the $NdRh_{2-x}Ru_xSi_2$ system 37
S. Baran (Kraków, Poland), M. Hofmann (Berlin–Wannsee, Germany), T. Jaworska-Gołąb, B. Penc (Kraków, Poland), A. Zygmunt (Wrocław, Poland) and A. Szytuła (Kraków, Poland)

Spontaneous magnetostriction of Ce_2Fe_{17} 43
A.V. Andreev (Prague, Czech Republic) and A. Lindbaum (Vienna, Austria)

The crystal structure of $NdGaO_3$ at 100 K and 293 K based on synchrotron data 46
L. Vasylechko, L. Akselrud (Lviv, Ukraine), W. Morgenroth, U. Bismayer (Hamburg, Germany), A. Matkovskii (Lviv, Ukraine and Rzeszow, Poland) and D. Savytskii (Lviv, Ukraine)

Electronic structure, magnetic and electrical properties of $Fe_{3-x}V_xAl$ compounds 53
W. Zarek, E. Talik, J. Heimann, M. Kulpa, A. Winiarska (Katowice, Poland) and M. Neumann (Osnabrück, Germany)

Structural modifications of laser deposited Fe–Al multilayers due to thermal treatment 59
A.A. Levin (Dresden, Germany and St. Petersburg, Russia), D.C. Meyer and P. Paufler (Dresden, Germany)

Chemistry

Ground-state and thermal properties of substituted iron nitrides 68
C.A. Kuhnen (Florianópolis, S.C., Brazil) and A.V. dos Santos (Santo Ângelo, R.S., Brazil)

Hydriding–dehydriding characteristics of $NdNi_5$ and effects of Sn-substitution 73
Y. Takaguchi and K. Tanaka (Nagoya, Japan)

Elsevier Science S.A.

A polymer complex solution route to the low-temperature synthesis of tetragonal $Zr_{0.88}Ce_{0.12}O_2$ with a reduced amount of organic substance 81
S. Yamamoto, M. Kakihana and S. Kato (Yokohama, Japan)

Solid state synthesis of tungsten carbide in an inert copper matrix 87
Yu.V. Baikalova and O.I. Lomovsky (Novosibirsk, Russia)

Stabilization of perovskite phase and dielectric properties of 0.95PZN–0.05BT derived from mechanical activation 92
T.Y. Ling, X. Junmin and J. Wang (Singapore, Singapore)

Mechanochemical synthesis of $LaMnO_3$ from La_2O_3 and Mn_2O_3 powders 99
Q. Zhang and F. Saito (Sendai, Japan)

Metallurgy

The heat capacity of $Tc_{0.85}Ru_{0.15}$ alloy 104
R.R. van der Laan and R.J.M. Konings (Petten, The Netherlands)

Crystal structure of $R_3Co_8Sn_4$ compounds (R=Pr, Nd, Sm, Gd, Tb, Dy, Ho, Er, Tm, Yb, Lu, Y) 109
F. Canepa, S. Cirafici, M.L. Fornasini, P. Manfrinetti, F. Merlo, A. Palenzona and M. Pani (Genova, Italy)

Restoration by rapid overheating of thermally stabilised martensite of NiTi shape memory alloys 114
D. Favier (Grenoble, France) and Y. Liu (Nedlands, Australia)

Nanocomposites in the Sn–Mn–C system produced by mechanical alloying 122
L. Beaulieu, D. Larcher, R.A. Dunlap and J.R. Dahn (Halifax, Canada)

The ternary system Ce–Si–Y. Phase relations, crystallographic and magnetic properties 129
H. Flandorfer (Wien, Austria), J. Gröbner (Wien, Austria and Stuttgart, Germany), A. Kostikas (Athens, Greece), C. Godart (Meudon and Orsay, France), P. Rogl (Wien, Austria), V. Psicharis (Athens, Greece), A. Saccone, R. Ferro (Genova, Italy) and G. Effenberg (Stuttgart, Germany)

Interactions in the Co–Ni–Si system at 800°C 137
J.A. van Beek, P.J.T.L. Oberndorff, A.A. Kodentsov and F.J.J. van Loo (Eindhoven, The Netherlands)

Phase relations and crystal structures in the Ag–Ga system 144
A.E. Gunnæs, O.B. Karlsen, A. Olsen and P.T. Zagierski (Oslo, Norway)

Aggregate shear moduli of iron up to 90 GPa and 1100 K 156
L.S. Dubrovinsky, N.A. Dubrovinskaia, S.K. Saxena, S. Rekhi (Uppsala, Sweden) and T. LeBihan (Grenoble, France)

Standard enthalpies of formation of some 4d transition metal gallides by high temperature direct synthesis calorimetry 162
S.V. Meschel and O.J. Kleppa (Chicago, IL, USA)

CeScSi- and CeFeSi-type structures in compounds derived from GdTiGe 168
A.V. Morozkin, L.M. Viting, I.A. Sviridov and I.A. Tskhadadze (Moscow, Russia)

Enthalpy of mixing of liquid Al–Cu–Si alloys 176
V.T. Witusiewicz, I. Arpshofen, H.-J. Seifert and F. Aldinger (Stuttgart, Germany)

Thermodynamic modeling of the Pd–Y system 185
Z. Du, H. Yang and C. Li (Beijing, P.R. China)

Materials Science

Effect of substitution of Fe and Ni for Co in the synthesis of Mg_2Co compound using the mechanical alloying method 192
J.-L. Bobet (Pessac, France), E. Akiba (Ibaraki, Japan) and B. Darriet (Pessac, France)

Structure and soft magnetic properties of Finemet alloys 199
M. Manivel Raja, K. Chattopadhyay (Bangalore, India), B. Majumdar (Nashik, India) and A. Narayanasamy (Madras, India)

Improvement in capacity of cobalt-free Mm-based hydrogen storage alloys with good cycling stability 206
W.-K. Hu (Stockholm, Sweden)

Study of thermal stability of mechanically alloyed Ti–75% Al powders 211
F. Zhang, L. Lu and M.O. Lai (Singapore, Singapore)

The structure and magnetic properties of $Nd_8Fe_{84-x}Cu_xTi_8$ (x=0~3) alloys prepared by mechanical alloying 219
B.-z. Cui, X.-K. Sun, W. Liu, D.-y. Geng, Z.-d. Zhang and X.-g. Zhao (Shenyang, PR China)

Study on the phase equilibria of the Ti–Ni–Nb ternary system at 900°C 226
Y. Guanjun (Xi'an, People's Republic of China) and H. Shiming (Shenyang, People's Republic of China)

Effect of Mo and Nb on the phase equilibrium of the Ti–Cr–V ternary system in the non-burning β-Ti alloy region 231
J.Y. Lee, J.H. Kim and H.M. Lee (Taejon, South Korea)

Hydriding properties of a mechanically milled Mg–50 wt.% $ZrFe_{1.4}Cr_{0.6}$ composite 240
P. Wang, A. Wang, H. Zhang, B. Ding and Z. Hu (Shenyang, China)

Synthesis of a low-density Ti–Mg–Si alloy 246
O.N. Senkov, M. Cavusoglu and F.H.(Sam) Froes (Moscow, ID, USA)

Hydrogen isotope effects in $Ti_{1.0}Mn_{0.9}V_{1.1}$ and $Ti_{1.0}Cr_{1.5}V_{1.7}$ alloys 253
S.-W. Cho (Tokyo and Ibaraki, Japan), E. Akiba, Y. Nakamura and H. Enoki (Ibaraki, Japan)

Hydrogen storage in mechanically milled Mg–$LaNi_5$ and MgH_2–$LaNi_5$ composites 261
G. Liang, J. Huot, S. Boily, A. Van Neste and R. Schulz (Québec, Canada)

Standard Gibbs free energy of formation of $ThTi_2O_6$ from oxides 266
N. Lambert and K. Borowiec (Sorel, Quebec, Canada)

In-situ X-ray diffraction study of the decomposition of $NaAlH_4$ 270
K.J. Gross, S. Guthrie (Livermore, CA, USA), S. Takara (Honolulu, HI, USA) and G. Thomas (Livermore, CA, USA)

Hydriding behavior of Mg–Al and leached Mg–Al compounds prepared by high-energy ball-milling 282
S. Bouaricha, J.P. Dodelet, D. Guay, J. Huot, S. Boily and R. Schulz (Varennes, Canada)

Martensitic transformation of a Ti-rich $Ti_{40.5}Ni_{49.5}Zr_{10}$ shape memory alloy 294
S.K. Wu (Taipei, Taiwan) and S.F. Hsieh (Kaohsiung, Taiwan)

Hydrogen absorption and corresponding changes in structure and thermal stability of $Zr_{60}Al_{10}Ni_{30}$ amorphous alloy 303
X.G. Li, T. Otahara, S. Takahashi (Morioka, Japan), T. Shoji, H.M. Kimura and A. Inoue (Tohoku, Japan)

Mechanical alloying and sintering of lead telluride 312
N. Bouad, R.M. Marin-Ayral and J.C. Tédenac (Montpellier, France)

Author Index of Volume 297 319

Subject Index of Volume 297 321

Keyword list